




## Product Specifications

**Rugged Embedded Silicone Keyboard**

**Model: D-6209**



## Main features

Reinforced sealed industrial silicone keyboard, waterproof up to IP66 level. Laser-engraved characters with a UV-coated surface to prevent fingerprints, dust, and wear. The industrial-grade electronic circuit design is stable and reliable, meeting the electromagnetic compatibility standards EN 55032:2015 and EN 55035:2017. It has passed tests for high temperature, low temperature, humidity, fungus, rain, dust, and durability.

It features full-key backlighting (optional), responsive key feedback, standard USB communication protocol for plug-and-play functionality without manual driver installation. Widely used in applications such as drone ground stations, rugged laptops, diving equipment, and automotive devices.

## Benefits:

- Built-in touchpad
- Easy Clean, Surface washable
- Fully sealed, IP66 Waterproof, Dust Proof
- Disinfectable
- Excellent tactile feedback
- Quiet - noiseless keystroke
- USB Interface
- Ease of Use - Touchpad is responsive to touch



Backlight Optional

## Technical Parameter

|                       |                                           |
|-----------------------|-------------------------------------------|
| Number of keys        | 87+2 Keys                                 |
| Degree of protection  | IP66                                      |
| Compatible OS         | Windows,Mac, Android                      |
| Size (LWH)            | Reference dimensional drawing             |
| Weight                | 0.65kg                                    |
| Color                 | Black                                     |
| Layout                | English, Support customize other language |
| Backlight             | Optional                                  |
| Interface             | USB                                       |
| Operating temperature | -20°C ~ +60°C                             |
| Cable length          | 2.0 meter                                 |
| Standards             | CE, FCC, RoHs                             |
| Item No.              | D-6209                                    |

# Dimension

